Author Index

Abdel-Malek, K.	Path trajectory verification for robot manipulators in a manufacturing environment	547–556
Agba, E. I.	An investigation of the effects of autobrazer parameter variations on the quality of return bend joints	443–450
Aiyedun, P. O.	Temperature changes in hot flat rolling of steels at low strain rates and low reduction	261–284
Allanson, D. R.	Automatic dwell control in computer numerical control plunge grinding	565–575
Anderson, J. T.	Experimental investigation and finite element modelling in gravity die casting	93–107
Backhouse, C. J.	The 'green area' concept	189–196
Balazinski, M.	Touch probe radius compensation for coordinate measurement using kriging interpolation	11–18
Banaszak, Z. A.	Design of a performance repetitive manufacturing system	329–334
Barton, J. S.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Barton, J. S.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Blazdell, P. F.	Solid freeforming of ceramics using a drop-on-demand jet printer	211–214
Bloor, M. S.	Engineering document management strategy: analysis of requirements, choice of direction and system implementation	385–405
Booker, J. D.	Design capability and the costs of failure	409–423
Boyle, A.	Automatic dwell control in computer numerical control plunge grinding	565–575
Brien, G. C.	Real-time automatic statistical control for the grinding process	233–237
Brujic, D.	Monte Carlo simulation and analysis of the free-form surface registration	605–617
Burns, N. D.	The 'green area' concept	189–196
Carden, P. J.	Developing methodologies for robust mechanical engineering design	179–188
Carolan, T. A.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Carolan, T. A.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Chan, M.-C.	Application of stochastic real-valued reinforcement neural networks to batch production rescheduling	591–603
Chandra, A.	Study of powder sintering—compaction by a micromechanics model	73–81
Chattopadhyay, A. B.	A simple approach for on-line tool wear monitoring using the analytic hierarchy process	19–27
Chatwin, C. R.	Application of stochastic real-valued reinforcement neural networks to batch production rescheduling	591–603
Chen, J.	Analysing the natural resting aspect of a complex shaped part on a hard surface for automated parts feeding	435–442
Chen, X.	Automatic dwell control in computer numerical control plunge grinding	565–575
Cho, H. S.	An analytical solution for transient temperature distribution in fillet arc welding including the effect of molten metal	63–72
Cox, D. R.	Representation and reasoning in computer aided process planning	473–485
Cross, J. T.	Experimental investigation and finite element modelling in gravity die casting	93–107
Culley, S. J.	Set-up reduction (SUR) beyond total productive maintenance (TPM)	253–260
Dai, J. R.	An approach to automating modular fixture design and assembly	509–521
Dale, B. G.	Characteristics of organizations not committed to total quality management	377–384
Dale, B. G.	Self-assessment: methods, management and process	365–375
Das, S.	A simple approach for on-line tool wear monitoring using the analytic hiearchy process	19–27
Dean, T. A.	Software for the rapid production of patterns for castings	425–434

© IMechE 1997

Dimov, S. S.	An algorithm for incremental inductive learning	239–249
Dong, G.	The role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings	1–9
Dowell, E. H.	Pattern formation and linear stability analysis in centreless grinding	619–626
Dunne, F. P. E.	Modelling void nucleation and growth in axisymmetric extrusion	285–297
Dunne, F. P. E.	The role of inhomogeneous deformation in high-temperature ring compression testing	215–222
Dunsmore, W.	Developing methodologies for robust mechanical engineering design	179–188
Edirisinghe, M. J.	Solid freeforming of ceramics using a drop-on-demand jet printer	211–214
Epureanu, B. I.	Pattern formation and linear stability analysis in centreless grinding	619–626
Evans, J. R. G.	Solid freeforming of ceramics using a drop-on-demand jet printer	211–214
Fan, H. G.	Numerical simulation of current density in gas tungsten arc welding including the influence of the cathode	321–327
Fang, N.	Development of the new-type indexable inserts with helical rake faces	159–164
Fuh, J. Y. H.	An approach to automating modular fixture design and assembly	509–521
Gawne, D. T.	The role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings	1–9
Gest, G. B.	Set-up reduction (SUR) beyond total productive maintenance (TPM)	253–260
Gethin, D. T.	Experimental investigation and finite element modelling in gravity die casting	93–107
Gill, K. F.	A CAD-based approach to the design of fixtures for prismatic parts	523–538
Goh, L. C.	A 'stepper' approach to tolerance charting	539–546
Goh, L. C.	Graphical approach to assembly tolerance stack analysis—the 'Quickie' GDT method	463–472
Griffiths, B. J.	The role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings	1–9
Guo, Y. F.	Electric discharge milling of polycrystalline diamond	643–647
Gwee, S. H.	Plant layout improvements to a medium volume manufacturing system using systematic techniques to form just-in-time manufacturing cells	109–124
Halton, J.	Structured models to assist in justifying investment in knowledge-based systems	579–589
Hand, D. P.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Hand, D. P.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Harder, L.	Force control in turning based on robust PI controller design	165–175
Hardisty, H.	Theoretical and computational investigation of the electrochemical machining process for characteristic cases of a stepped moving tool eroding a plane surface	197–210
Harris, S. B.	Engineering document management strategy: analysis of requirements, choice of direction and system implementation	385–405
Hartley, P.	Roll pass evaluation for three-dimensional section rolling using a simplified finite element method	143–158
Hather, R. M.	Structured models to assist in justifying investment in knowledge-based systems	579–589
Heywood, M. I.	Application of stochastic real-valued reinforcement neural networks to batch production rescheduling	591–603
Hinduja, S.	Determination of finishing features in $2\frac{1}{2}D$ components	125–142
Hogg, I.	Engineering document management strategy: analysis of requirements, choice of direction and system implementation	385–405
Honczarenko, J.	Design of a performance repetitive manufacturing system	329–334
Huang, Y. S.	Software for the rapid production of patterns for castings	425–434
Hui, I. K.	A study of the strength and shape of surface mount technology leadless chip solder joints	29–41
Isaksson, A. J.	Force control in turning based on robust PI controller design	165–175
Islam, R.	A simple approach for on-line tool wear monitoring using the analytic hierarchy process	19–27
Jeng, Y. C.	A CAD-based approach to the design of fixtures for prismatic parts	523–538
Jeong, S. K.	An analytical solution for transient temperature distribution in fillet arc welding including the effect of molten metal	63–72
Jones, E. W.	An investigation of the effects of autobrazer parameter variations on the quality of return bend joints	443–450
Jones, J. D. C.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309

© IMechE 1997

Jones, J. D. C.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Khan, M. K.	Plant layout improvements to a medium volume manufacturing system using systematic techniques to form just-in-time manufacturing cells	109–124
Kidd, S. R.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Kidd, S. R.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Kim, J. B.	Investigation into hydromechanical reverse redrawing assisted by separate radial pressure—process development and theoretical verification	451–462
Kim, J.-D.	Ductile regime grinding of ferrite with variation of grain size by a piezoelectric-driven micropositioning grinding table	487–493
Kochhar, A. K.	Structured models to assist in justifying investment in knowledge-based systems	579–589
Koh, K.-I.	Investigation on arc light intensity in gas metal arc welding. Part 2: application to weld seam tracking	355–363
Lee, D. W.	Investigation into hydromechanical reverse redrawing assisted by separate radial pressure—process development and theoretical verification	451–462
Lee, S. G.	An application of the energy barriers to prismatic $2\frac{1}{2}$-dimensional parts of uniform cross-section with non-orthogonal contiguous faces	627–633
Lewis, R. W.	Experimental investigation and finite element modelling in gravity die casting	93–107
Lewis, S. M.	Developing methodologies for robust mechanical engineering design	179–188
Li, Y.	An intelligent system for selection of grinding wheels	635–641
Lim, L. E. N.	An application of the energy barrier to prismatic $2\frac{1}{2}$-dimensional parts of uniform cross-section with non-orthogonal contiguous faces	627–633
Lim, L. G.	Modelling void nucleation and growth in axisymmetric extrusion	285–297
Liu, J. C.	Electric discharge milling of polycrystalline diamond	643–647
Liu, S.	Study of powder sintering—compaction by a micromechanics model	73–81
Liu, Y. H.	Electric discharge milling of polycrystalline diamond	643–647
Lye, S. W.	Analysing the natural resting aspect of a complex shaped part on a hard surface for automated parts feeding	435–442
Lye, S. W.	An application of the energy barriers to prismatic $2\frac{1}{2}$-dimensional parts of uniform cross-section with non-orthogonal contiguous faces	627–633
Ma, X.	Finding the best possible solutions to simple assembly line balancing problems	53–61
McIntosh, R. I.	Set-up reduction (SUR) beyond total productive maintenance (TPM)	253–260
McMahon, C. A.	Representation and reasoning in computer aided process planning	473–485
Maksoud, T. M. A.	In-process detection of grinding wheel truing and dressing conditions using a flapper nozzle arrangement	335–343
Mayer, J. R. R.	Touch probe radius compensation for coordinate measurement using kriging interpolation	11–18
Mileham, A. R.	Set-up reduction (SUR) beyond total productive maintenance (TPM)	253–260
Mileham, A. R.	Theoretical and computational investigation of the electrochemical machining process for characteristic cases of a stepped moving tool eroding a plane surface	197–210
Mills, B.	An intelligent system for selection of grinding wheels	635–641
Mir, Y. A.	Touch probe radius compensation for coordinate measurement using kriging interpolation	11–18
Mo, J. P. T.	Real-time automatic statistical control for the grinding process	233–237
Mokbel, A. A.	In-process detection of grinding wheel truing and dressing conditions using a flapper nozzle arrangement	335–343
Monfared, R. P.	The re-engineering and reconfiguration of manufacturing cell control systems and reuse of their components	495–508
Montoya, F. M.	Pattern formation and linear stability analysis in centreless grinding	619–626
Montusiewicz, J.	Computer aided optimum design of machine tool spindle systems with hydrostatic bearings	43–52
Morgan, J. E.	In-process detection of grinding wheel truing and dressing conditions using a flapper nozzle arrangement	335–343

© IMechE 1997

Na, S.-J.	Numerical simulation of current density in gas tungsten arc welding including the influence of the cathode	321–327
Nam, S.-R.	Ductile regime grinding of ferrite with variation of grain size by a piezoelectric-driven micropositioning grinding table	487–493
Nanneh, M.	The role of inhomogeneous deformation in high-temperature ring compression testing	215–222
Nedeß, C.	Development of the new-type indexable inserts with helical rake faces	159–164
Nee, A. Y. C.	An approach to automating modular fixture design and assembly	509–521
Ngoi, B. K. A.	An application of the energy barriers of prismatic $2\frac{1}{2}$-dimensional parts of uniform cross-section with non-orthogonal contiguous faces	627–633
Ngoi, B. K. A.	A 'stepper' approach to tolerance charting	539–546
Ngoi, B. K. A.	Graphical approach to assembly tolerance stack analysis—the 'Quickie' GDT method	463–472
Ngoi, K. A.	Analysing the natural resting aspect of a complex shaped part on a hard surface for automated parts feeding	435–442
Norridge, B.	The 'green area' concept	189–196
Oldham, K.	Structured models to assist in justifying investment in knowledge-based systems	579–589
Osyczka, A.	Computer aided optimum design of machine tool spindle systems with hydrostatic bearings	43–52
Owen, G. W.	Set-up reduction (SUR) beyond total productive maintenance (TPM)	253–260
Owen, J.	Engineering document management strategy: analysis of requirements, choice of direction and system implementation	385–405
Park, C. S.	Investigation into hydromechanical reverse redrawing assisted by separate radial pressure—process development and theoretical verification	451–462
Penaherrera, A. S.	An investigation of the effects of autobrazer parameter variations on the quality of return bend joints	443–450
Pham, D. T.	An algorithm for incremental inductive learning	239–249
Pillinger, I.	Roll pass evaluation for three-dimensional section rolling using a simplified finite element method	143–158
Pitts, G.	Developing methodologies for robust mechanical engineering design	179–188
Please, C. P.	Developing methodologies for robust mechanical engineering design	179–188
Radhakrishnan, V.	Three-dimensional filtering of engineering surfaces using a least squares non-parametric B-spline surface	557–564
Raines, M.	Design capability and the costs of failure	409–423
Ralph, B.	A study of the strength and shape of surface mount technology leadless chip solder joints	29–41
Reuben, R. L.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Reuben, R. L.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Ristic, M.	Monte Carlo simulation and analysis of free-form surface registration	605–617
Rowe, W. B.	An intelligent system for selection of grinding wheels	635–641
Rowe, W. B.	Automatic dwell control in computer numerical control plunge grinding	565–575
Scott, J. A.	Representation and reasoning in computer aided process planning	473–485
Sellars, C. M.	Temperature changes in hot flat rolling of steels at low strain rates and low reduction	261–284
Senthil kumar, A.	An approach to automating modular fixture design and assembly	509–521
Sexton, C. J.	Developing methodologies for robust mechanical engineering design	179–188
Shi, Y. W.	Numerical simulation of current density in gas tungsten arc welding including the influence of the cathode	321–327
Shirvani, H.	Theoretical and computational investigation of the electrochemical machining process for characteristic cases of a stepped moving tool eroding a plane surface	197–210
Sims Williams, J. H.	Representation and reasoning in computer aided process planning	473–485
Sparling, L. G. M.	Temperature changes in hot flat rolling of steels at low strain rates and low reduction	261–284
Squires, M. R.	Real-time automatic statistical control for the grinding process	233–237
Sturgess, C. E. N.	Roll pass evaluation for three-dimensional section rolling using a simplified finite element method	143–158
Sunwoo, H.-K.	Investigation on arc light intensity in gas metal arc welding. Part 1: relationship between arc light intensity and arc length	345–353

© IMechE 1997

Sunwoo, H.-K.	Investigation on arc light intensity in gas metal arc welding. Part 2: application to weld seam tracking	355–363
Swift, K. G.	Design capability and the costs of failure	409–423
Tan, C. S.	Graphical approach to assembly tolerance stack analysis—the 'Quickie' GDT method	463–472
Teo, W. F.	Self-assessment: methods, management and process	365–375
Tholath, J.	Three-dimensional filtering of engineering surfaces using a least squares	557–564
Thrift, B.	An investigation of the effects of autobrazer parameter variations on the quality of return bend joints	443–450
Trochu, F.	Touch probe radius compensation for coordinate measurement using kriging interpolation	11–18
Vafaeesefat, A.	Touch probe radius compensation for coordinate measurements using kriging interpolation	11–18
Wang, M.	Development of the new-type indexable inserts with helical rake faces	159–164
Webster, P. D.	Software for the rapid production of patterns for castings	425–434
Wen, S. W.	Roll pass evaluation for three-dimensional section rolling using a simplified finite element method	143–158
Weston, R. H.	The re-engineering and reconfiguration of manufacturing cell control systems and reuse of their components	495–508
Wilcox, S. J.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Wilcox, S. J.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Wilkinson, P.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 1: energy analysis	299–309
Wilkinson, P.	Acoustic emission monitoring of tool wear during the face milling of steels and aluminium alloys using a fibre optic sensor. Part 2: frequency analysis	311–319
Xiang, Q. F.	Solid freeforming of ceramics using a drop-on-demand jet printer	211–214
Xu, X.	Determination of finishing features in $2\frac{1}{2}D$ components	125–142
Yang, D. Y.	Investigation into hydromechanical reverse redrawing assisted by separate radial pressure—process development and theoretical verification	451–462
Yeh, H. J.	Path trajectory verification for robot manipulators in a manufacturing environment	547–556
Yilbas, B. S.	The analysis of CO_2 laser cutting	223–232
Yoo, C. D.	Investigation on arc light intensity in gas metal arc welding. Part 1: relationship between arc light intensity and arc length	345–353
Yoo, C. D.	Investigation on arc light intensity in gas metal arc welding. Part 2: application to weld seam tracking	355–363
Yoo, Y. S.	Investigation on arc light intensity in gas metal arc welding. Part 1: relationship between arc light intensity and arc length	345–353
Zhu, J. S.	Study of powder sintering—compaction by a micromechanics model	73–81

© IMechE 1997